



WALL FRAMING

1/4" = 1'0"

LIVING	1515
COVERED LANAI	65
GARAGE	484
COVERED ENTRY	143
TOTAL 3/20/09	2207

○ WINDOW SCHEDULE			
	SIZE	TYPE	REMARKS
1			
2	6040	SLIDING GLASS WINDOW	
3	2630	SINGLE HUNG	OBS
4			
5	8040	SLIDING GLASS WINDOW	XOX
6	4030	SLIDING GLASS WINDOW	
7	4010	SLIDING GLASS WINDOW	
8	4040	SLIDING GLASS WINDOW	
9			
10			
11			
12			
13			
14			

NOTES:
 VINYL SL GLASS WINDOWS/DOORS SNG GLAZE
 4X12 HEADERS UNLESS NOTED
 VERIFY ROUGH OPENING SIZES BEFORE FRAMING
 CAULK DURING INSTALLATION
 DRYWALL WRAP AT INTERIOR 4 WAY BULNOSE CB
 GLASS WITHIN 24" OF DOOR MUST BE TEMPERED
 DOUBLE TRIMMERS AT WINDOWS/DOORS OVER 8'
 WINDOW SILL HEIGHT AT 44" AT BEDROOMS
 IF GLASS FALLS BELOW 18" FROM FLOOR USE SAFETY GLASS

□ DOOR SCHEDULE			
	SIZE	TYPE	REMARKS
A	30681-3/4	1510	PREFIT
B	30681-3/4	SC COL	PREFIT
C	30681-3/4	SC COL	PREFIT SLF CLSNG HINGE
D	26681-3/8	HC COL	PREFIT
E			
F	40681-3/8	HC COL	BIFOLD
G	60681-3/8	HC COL	BIFOLD
H	50681*3/8	HC COL	BIFOLD
I	20681-3/8	HC COL	BIFOLD
J	6068	SLIDING GLASS DOOR	
K			
L			
M			

NOTES:
 EXTERIOR DOORS PREFIT WITH BRONZE THRESHHOLD AND WEATHERSTRIP
 INTERIOR DOORS PREFIT
 ALL INTERIOR DOORS WITH COLONIAL CASING
 BASEBOARD 2-1/2 COLONIAL
 SCHLAGE HARDWARE WITH CHOICE OF STYLE AND FINISH
 4X12 HEADER UNLESS NOTED
 INTERIOR HEADERS DOUBLE 2X4
 DRYWALL WRAP AT BIPASS/BIFOLD BULLNOSE CB
 JAMB SIZE EXT = 4-11/16 INT = 4-9/16

REVISIONS

THE DRAFTING DEPARTMENT
 808-883-9537

PROPOSED RESIDENCE FOR
 EMERALD BUILDERS LLC

SC1

THIS WORK WAS PREPARED
 BY ME UNDER MY
 SUPERVISION
 CONSTRUCTION OF THIS
 PROJECT WILL BE UNDER
 MY OBSERVATION

SIGNATURE

TMK

5/01/09

PAGE
 1